JOURNAL OF ORGANOMETALLIC CHEMISTRY, VOL. 370 (1989)

AUTHOR INDEX

Abicht, H.-P., (370) 343
Achiwa, K., (370) C9

Baker, K.V., (370) 397
Bakos, J., (370) 257, 263, 277
Bennett, M.A., (370) 165
Berryhill, S.R., (370) C1
Bettella, R., (370) 187
Bolhuis, F. van, (370) 357
Botteghi, C., (370) 17
Boven, G., (370) 357
Brefort, J.L., (370) 9
Bresciani-Pahor, N., (370) 187
Brookhart, M., (370) 111
Brown, J.M., (370) 397
Brunner, H., (370) 17
Bublewitz, A., (370) 223
Buck, R.C., (370) 111
Burrow, T., (370) 173

Cesarotti, E., (370) 407
Chelucci, G., (370) 17, 285
Chessa, G., (370) 285
Consiglio, G., (370) 305
Cooley, N.A., (370) 397
Corriu, R.J.P., (370) 9, C1
Cross, G., (370) 357
Cullen, W.R., (370) 141
Cunningham, D., (370) 51

Dalton, D.M., (370) C17
Davies, S.G., (370) C5
Delogu, G., (370) 285
Demartin, F., (370) 407
Döbler, C., (370) 351

Fiaud, J.C., (370) 383
Fülöp, V., (370) 263

Galimberti, M., (370) 1
Geremia, S., (370) 187
Gladiali, S., (370) 285
Gladysz, J.A., (370) C17
Goodfellow, C.L., (370) C5
Grassi, M., (370) 407
Guérin, C., (370) 9

Habuš, I., (370) 295
Hayashi, T., (370) 129
Heil, B., (370) 257, 263, 277
Henner, B., (370) 9
Hintzer, K., (370) 81
Hojo, M., (370) 129
Hosokawa, T., (370) C13
Howard, P.W., (370) 97
Howell, J.A.S., (370) 51
Hughes, G.D., (370) 397

Ikeda, K., (370) 319
Inoguchi, K., (370) C9
Ise, T., (370) 203
Ito, Y., (370) 129

Jablonski, C., (370) 173
Jaouen, G., (370) 51
Jones, P.G., (370) 173

Kagan, H.B., (370) 43, 81
Kellogg, R.M., (370) 357
Kinting, A., (370) 343, 351
Kishi, K., (370) 129
Kollár, L., (370) 257
Kono, T., (370) C13
Kreuzfeld, H.-J., (370) 343
Kürzinger, A., (370) 17

Lazzaroni, R., (370) 165
Lecomte, L., (370) 277
Legros, J.Y., (370) 383
Leyrer, U., (370) 81

Marchetti, F., (370) 165
Mark, C., (370) 81
McArdle, P., (370) 51
Mestroni, G., (370) 187
Miura, H., (370) 129
Morandini, F., (370) 305
Moret, M., (370) 305
Moriarty, K.J., (370) 75
Morimoto, T., (370) C9
Mortreux, A., (370) 333
Murahashi, S.-I., (370) C13

Nagel, U., (370) 223
Nishioka, E., (370) 129

Obermann, U., (370) 17
Otsuka, S., (370) 203

Párkányi, L., (370) 263
Pertici, P., (370) 165
Petit, F., (370) 333
Pino, P., (370) 1
Pitchen, P., (370) 81
Pottier, Y., (370) 333
Prati, L., (370) 407

Randaccio, L., (370) 187
Rausch, M.D., (370) 75
Rieger, B., (370) 223
Ronan, B., (370) 43

Salem, G., (370) 33
Salvadori, P., (370) 155
Samuel, O., (370) 43
Schionato, A., (370) 17
Schurig, V., (370) 81
Selke, R., (370) 241, 249
Shinohara, T., (370) C13
Sinou, D., (370) 277
Sironi, A., (370) 305
Snatzke, G., (370) 295
Soccolini, F., (370) 285
Stephenson, G.R., (370) 97
Šunjić, V., (370) 295
Suwa, K., (370) 203
Szalontai, G., (370) 263

Tani, K., (370) 203
Tanigawa, E., (370) 203
Tatsuno, Y., (370) 203
Taylor, R.J., (370) 397
Taylor, S.C., (370) 97
Tirvengadum, M.-C., (370) 51
Tóth, I., (370) 257, 263, 277

Vahrenkamp, H., (370) 65
Van Bolhuis, F., (370) 357

Vitulli, G., (370) 165
Vriesema, B.K., (370) 357

Wickenheiser, E.B., (370) 141
Wild, S.B., (370) 33

Yamagata, T., (370) 203
Yamamoto, A., (370) 129
Yamamoto, K., (370) 319
Yanagi, K., (370) 129
Yin, L.K., (370) 319

Zassinovich, G., (370) 187

JOURNAL OF ORGANOMETALLIC CHEMISTRY, VOL. 370 (1989)

SUBJECT INDEX

Aluminium

1-Pentene, asymmetric deuteration and deuteriooligomerization of (P. Pino, M. Galimberti), (370) 1

Arsenic

Diastereoselective synthesis of a resolved secondary arsine complex: asymmetric synthesis of (*R*)-$(-)_{589}$-ethylmethylphenylarsine (G. Salem, S.B. Wild), (370) 33

Boron

Methyl ketone complexes of chiral Lewis acid $[(\eta^5\text{-}C_5H_5)Re(NO)(PPh_3)]^+$, stereoselective reduction by $K(s\text{-}C_4H_9)_3BH$; synthesis of optically active secondary alcohols and derivatives (D.M. Dalton, J.A. Gladysz), (370) C17

Chromium

(*ortho*- and (*meta*-$MeC_6H_4CO_2Me)Cr(CO)_2L$ (L = (+)-neomenthyl-PPh_2, diastereoisomer separation and absolute configuration of (G. Jaouen, J.A.S. Howell, M.-C. Tirvengadum, P. McArdle, D. Cunningham), (370) 51

R-α-Methyl-*o*-methoxybenzyl methyl ether, asymmetric synthesis via the diastereoselective functionalisation of (+)-(*o*-methoxybenzyl methyl ether)chromium tricarbonyl of (S.G. Davies, C.L. Goodfellow), (370) C5

Organometallic cluster compounds, framework chirality and optical activity of (H. Vahrenkamp), (370) 65

Cobalt

$(-)_{436}$-(*S*)-(−)-Diphenyl-1-phenylethylaminophosphine(η^5-pentamethylcyclopentadienyl)(dimethylphosphonato)cobalt(III), preparation, crystal structure, absolute configuration and conformational analysis of (C. Jablonski, T. Burrow, P.G. Jones, (370) 173

Organometallic cluster compounds, framework chirality and optical activity of (H. Vahrenkamp), (370) 65

Copper

Pt-phosphine-$SnCl_2$ and Pt-bisphosphine-$CuCl_2$ (or CuCl) catalytic systems, asymmetric hydroformylation with (L. Kollár, J. Bakos, I. Tóth, B. Heil), (370) 257

Indium

1-Pentene, asymmetric deuteration and deuteriooligomerization of (P. Pino, M. Galimberti), (370) 1

Iridium

Metal controlled enantioselectivity in catalytic asymmetric hydrosilylation (A. Kinting, H.-J. Kreuzfeld, H.-P. Abicht), (370) 343

Pentacoordinate iridium(I) complexes with chiral Schiff bases, enantioselective hydrogen transfer reactions from propan-2-ol to ketones catalysed by (G. Zassinovich, R. Bettella, G. Mestroni, N. Bresciani-Pahor, S. Geremia, L. Randaccio), (370) 187

Iron

Benzylidene chiral-at-iron complexes: ($S_{Fe}S_C$) and ($R_{Fe}S_C$)Cp(CO)(Ph_2R^*P)Fe=$CHC_6H_5^+$ ($R^* = (S)$-2-methylbutyl) and (S_{Fe})- and (R_{Fe})-Cp(CO)(PEt_3)Fe=$CHC_6H_5^+$, enantioselective benzylidene transfer reactions with (M. Brookhart, R.C. Buck), (370) 111

Chiral ferrocenylphosphines with C_2 symmetry, formation of (T. Hayashi, A. Yamamoto, M. Hojo, K. Kishi, Y. Ito, E. Nishioka, H. Miura, K. Yanagi), (370) 129

Diastereoselective synthesis of a resolved secondary arsine complex: asymmetric synthesis of (R)-$(-)_{589}$-ethylmethylphenylarsine (G. Salem, S.B. Wild), (370) 33

Homochiral π-complexes with planar chirality; synthetic equivalents of chiral cyclohexadiene dications (P.W. Howard, G.R. Stephenson, S.C. Taylor), (370) 97

Iron to cyclopentadienyl ligand silyl group migration in (η^5-C_5H_5)Fe$(CO)_2SiR_3$ stereochemistry at silicon of (S.R. Berryhill, R.J.P. Corriu), (370) C1

Organometallic cluster compounds, framework chirality and optical activity of (H. Vahrenkamp), (370) 65

Rhodium(I) complexes of β-diketonates and related ligands as hydrosilylation catalysts (W.R. Cullen, E.B. Wickenheiser), (370) 141

Magnesium

Transition metal catalysed asymmetric cross coupling reactions; crystal structures of [Ph_2PCH_2-$CH\{(CH_2)_3SMe)NMe_2] \cdot PdCl_2$ and [$Ph_2PCH_2CH\{(CH_2)_2SMe\}NMe_2] \cdot PdCl_2$ (G. Cross, B.K. Vriesema, G. Boven, R.M. Kellogg, F. van Bolhuis), (370) 357

Metallocenes

Chiral ferrocenylphosphines with C_2 symmetry, formation of (T. Hayashi, A. Yamamotc, M. Hojo, K. Kishi, Y. Ito, E. Nishioka, H. Miura, K. Yanagi), (370) 129

Rhodium(I) complexes of β-diketonates and related ligands as hydrosilylation catalysts (W.R. Cullen, E.B. Wickenheiser), (370) 141

Molybdenum

Molybdenum(VI)(oxo-diperoxo) non-racemic complexes, enantioselective epoxidation of unfunctionalized simple olefins by (V. Schurig, K. Hintzer, U. Leyrer, C. Mark, P. Pitchen, H.B. Kagan), (370) 81

Organometallic cluster compounds, framework chirality and optical activity of (H. Vahrenkamp), (370) 65

Organomolybdenum optically active compounds, synthesis and properties of (K.J. Moriarty, M.D. Rausch), (370) 75

Nickel

Chiral metal complexes of 2,3-bis(dimenthylphosphino)maleic anhydride and of 2,3-bis(dimenthylphosphino)maleimide derivatives, homogeneous asymmetric catalysis by (A. Kinting, C. Döbler), (370) 351

Organometallic cluster compounds, framework chirality and optical activity of (H. Vahrenkamp), (370) 65

Transition metal catalysed asymmetric cross coupling reactions; crystal structures of [Ph_2PCH_2-$CH\{(CH_2)_3SMe)NMe_2] \cdot PdCl_2$ and [$Ph_2PCH_2CH\{(CH_2)_2SMe\}NMe_2] \cdot PdCl_2$ (G. Cross, B.K. Vriesema, G. Boven, R.M. Kellogg, F. van Bolhuis), (370) 357

Osmium

Organometallic cluster compounds, framework chirality and optical activity of (H. Vahrenkamp), (370) 65

Palladium

2-Alkenylphenols, asymmetric cyclization catalysed by palladium(II) and titanium(IV) complexes of (T. Hosokawa, T. Kono, T. Shinohara, S.-I. Murahashi), (370) C13

η^3-Allylpalladium chiral complexes, dynamic behaviour and X-ray analysis of (E. Cesarotti, M. Grassi, L. Prati, F. Demartin), (370) 407

Chiral metal complexes of 2,3-bis(dimenthylphosphino)maleic anhydride and of 2,3-bis(dimenthylphosphino)maleimide derivatives, homogeneous asymmetric catalysis by (A. Kinting, C. Döbler), (370) 351

Metal controlled enantioselectivity in catalytic asymmetric hydrosilylation (A. Kinting, H.-J. Kreuzfeld, H.-P. Abicht), (370) 343

Palladium-catalysed asymmetric synthesis of axially chiral molecules (J.C. Fiaud, J.Y. Legros), (370) 383

Palladium P–N chelates as catalysts in asymmetric cross-coupling reactions (K.V. Baker, J.M. Brown, N.A. Cooley, G.D. Hughes, R.J. Taylor), (370) 397

Transition metal catalysed asymmetric cross coupling reactions; crystal structures of $[Ph_2PCH_2CH\{(CH_2)_3SMe)NMe_2]\cdot PdCl_2$ and $[Ph_2PCH_2CH\{(CH_2)_2SMe\}NMe_2]\cdot PdCl_2$ (G. Cross, B.K. Vriesema, G. Boven, R.M. Kellogg, F. van Bolhuis), (370) 357

Phosphorus

(P(*R*,*S*),3R,4R,P′(*R*,*S*))-3,4-Bis(phenylphosphino)pyrrolidine complexes, preparation of pure 1,2-bisphosphane ligands catalysed by (U. Nagel, B. Rieger, A. Bublewitz), (370) 223

Chiral sulphonated phosphinerhodium complexes, influence of water on enantioselectivity in reduction of dehydro-aminoacids by (L. Lecomte, D. Sinou, J. Bakos, I. Tóth, B. Heil), (370) 277

$(-)_{436}$-(*S*)-(−)-Diphenyl-1-phenylethylaminophosphine(η^5-pentamethylcyclopentadienyl)(dimethylphosphonato)cobalt(III), preparation, crystal structure, absolute configuration and conformational analysis of (C. Jablonski, T. Burrow, P.G. Jones, (370) 173

Indenylruthenium(II) complexes containing optically active diphosphines; X-ray structures of (*S*,*S*)-(η^5-C_9H_7)$Ru\{Ph_2PCH(CH_3)CH(CH_3)PPh_2\}Cl$ and of its η^5-C_5H_5 analogue (F. Morandini, G. Consiglio, A. Sironi, M. Moret), (370) 305

(*ortho*- and (*meta*-$MeC_6H_4CO_2Me)Cr(CO)_2L$ (L = (+)-neomenthyl-PPh_2, diastereoisomer separation and absolute configuration of (G. Jaouen, J.A.S. Howell, M.-C. Tirvengadum, P. McArdle, D. Cunningham), (370) 51

Organometallic cluster compounds, framework chirality and optical activity of (H. Vahrenkamp), (370) 65

Palladium P–N chelates as catalysts in asymmetric cross-coupling reactions (K.V. Baker, J.M. Brown, N.A. Cooley, G.D. Hughes, R.J. Taylor), (370) 397

Peralkyldiphosphine-rhodium optically active complexes, preparation and use in asymmetric catalytic hydrogenation of ketones of (K. Tani, K. Suwa, E. Tanigawa, T. Ise, T. Yamagata, Y. Tatsumo, S. Otsuka), (370) 203

Pt-phosphine-$SnCl_2$ and Pt-bisphosphine-$CuCl_2$ (or CuCl) catalytic systems, asymmetric hydroformylation with (L. Kollár, J. Bakos, I. Tóth, B. Heil), (370) 257

Rhodium(I) chelates prepared by precipitation from equilibrium between neutral and cationic complexes and hydrolysis of bonded ligands (R. Selke), (370) 241

Rhodium complexes of improved (2*S*,4*S*)-*N*-(t-butoxycarbonyl)-4-(diphenylphosphino)-2-[(diphenylphosphino)methyl]pyrrolidine (BPPM) analogues, efficient asymmetric hydrogenation of itaconic acid derivatives catalysed by (K. Inoguchi, T. Morimoto, K. Achiwa), (370) C9

Rhodium(I)-[2,3-*o*-bis(diphenylphosphino)-β-D-glucopyranoside] chelates with free hydroxyl groups as catalysts in asymmetric hydrogenation (R. Selke), (370) 249

Transition metal catalysed asymmetric cross coupling reactions; crystal structures of $[Ph_2PCH_2CH\{(CH_2)_3SMe)NMe_2]\cdot PdCl_2$ and $[Ph_2PCH_2CH\{(CH_2)_2SMe\}NMe_2]\cdot PdCl_2$ (G. Cross, B.K. Vriesema, G. Boven, R.M. Kellogg, F. van Bolhuis), (370) 357

Platinum

Metal controlled enantioselectivity in catalytic asymmetric hydrosilylation (A. Kinting, H.-J. Kreuzfeld, H.-P. Abicht), (370) 343

Pt-phosphine-$SnCl_2$ and Pt-bisphosphine-$CuCl_2$ (or CuCl) catalytic systems, asymmetric hydroformylation with (L. Kollár, J. Bakos, I. Tóth, B. Heil), (370) 257

Rhenium

Methyl ketone complexes of chiral Lewis acid $[(\eta^5\text{-}C_5H_5)Re(NO)(PPh_3)]^+$, stereoselective reduction by $K(s\text{-}C_4H_9)_3BH$; synthesis of optically active secondary alcohols and derivatives (D.M. Dalton, J.A. Gladysz), (370) C17

Rhodium

4,5-Bis[(diphenylphosphino)methyl]-2,2-dimethyldioxolanerhodium(I), asymmetric hydrogenation of 3-phenyl-3-butenoic acid catalysed by (K. Yamamoto, K. Ikeda, L.K. Yin), (370) 319

(P(*R*,*S*),3R,4R,P′(*R*,*S*))-3,4-Bis(phenylphosphino)pyrrolidine complexes, preparation of pure 1,2-bisphosphane ligands catalysed by (U. Nagel, B. Rieger, A. Bublewitz), (370) 223

Chiral metal complexes of 2,3-bis(dimenthylphosphino)maleic anhydride and of 2,3-bis(dimenthylphosphino)maleimide derivatives, homogeneous asymmetric catalysis by (A. Kinting, C. Döbler), (370) 351

Chiral sulphonated phosphinerhodium complexes, influence of water on enantioselectivity in reduction of dehydro-aminoacids by (L. Lecomte, D. Sinou, J. Bakos, I. Tóth, B. Heil), (370) 277

Enantioselective hydrosilylation of ketones with $[Rh(COD)Cl]_2$ and optically active nitrogen ligands (C. Botteghi, A. Schionato, G. Chelucci, H. Brunner, A. Kürzinger, U. Obermann), (370) 17

Metal controlled enantioselectivity in catalytic asymmetric hydrosilylation (A. Kinting, H.-J. Kreuzfeld, H.-P. Abicht), (370) 343

Peralkyldiphosphine-rhodium optically active complexes, preparation and use in asymmetric catalytic hydrogenation of ketones of (K. Tani, K. Suwa, E. Tanigawa, T. Ise, T. Yamagata, Y. Tatsumo, S. Otsuka), (370) 203

Rhodium/alkyl phenanthroline catalysts, enantioselective transfer hydrogenation of acetophenone by (S. Gladiali, G. Chelucci, F. Soccolini, G. Delogu, G. Chessa), (370) 285

Rhodium catalysts, $RhH(CO)_2L_2$, modified with aminophosphinephosphinite ligands, asymmetric hydroformylation of styrene by (Y. Pottier, A. Mortreux, F. Petit), (370) 333

Rhodium(I) chelates prepared by precipitation from equilibrium between neutral and cationic complexes and hydrolysis of bonded ligands (R. Selke), (370) 241

Rhodium(I) complexes of (−)-(2*S*,4*S*)-(2,4-bis(diphenylphosphino)pentane, asymmetric hydrogenation of acetophenonebenzylimine and acetophenone by (J. Bakos, I. Tóth, B. Heil, G. Szalontai, L. Párkányi, V. Fülöp), (370) 263

Rhodium(I) complexes of β-diketonates and related ligands as hydrosilylation catalysts (W.R. Cullen, E.B. Wickenheiser), (370) 141

Rhodium(I) complexes of chiral bis-diphenylphosphines derived from D-glucose and D-galactose, chiroptical properties and enantioselectivity in hydrogenation with (V. Šunjić, I. Habuš, G. Snatzke), (370) 295

Rhodium complexes of improved (2*S*,4*S*)-*N*-(t-butoxycarbonyl)-4-(diphenylphosphino)-2-[(diphenylphosphino)methyl]pyrrolidine (BPPM) analogues, efficient asymmetric hydrogenation of itaconic acid derivatives catalysed by (K. Inoguchi, T. Morimoto, K. Achiwa), (370) C9

Rhodium(I)-[2,3-*o*-bis(diphenylphosphino)-β-D-glucopyranoside] chelates with free hydroxyl groups as catalysts in asymmetric hydrogenation (R. Selke), (370) 249

Ruthenium

Indenylruthenium(II) complexes containing optically active diphosphines; X-ray structures of (*S*,*S*)-(η^5-C_9H_7)Ru{$Ph_2PCH(CH_3)CH(CH_3)PPh_2$}Cl and of its η^5-C_5H_5 analogue (F. Morandini, G. Consiglio, A. Sironi, M. Moret), (370) 305

η^6-Methyl-*o*-toluate chiral complex $[RuCl_2(\eta^6\text{-}o\text{-}MeC_6H_4CO_2Me)]_2$, resolution of; crystal structure and absolute configuration of $RuCl_2(\eta^6\text{-}o\text{-}MeC_6H_4CO_2Me)$((+)-neomenthyldiphenylphosphine) (P. Salvadori, P. Pertici, F. Marchetti, R. Lazzaroni, G. Vitulli, M.A. Bennett), (370) 155

Organometallic cluster compounds, framework chirality and optical activity of (H. Vahrenkamp), (370) 65

Silicon

Enantioselective hydrosilylation of ketones with $[Rh(COD)Cl]_2$ and optically active nitrogen ligands (C. Botteghi, A. Schionato, G. Chelucci, H. Brunner, A. Kürzinger, U. Obermann), (370) 17

Hypervalent silicon hydrides, evidence in the reaction of optically active 1-NpPhMeSiH(D) with hydrides (J.L. Brefort, R.J.P. Corriu, C. Guérin, B. Henner), (370) 9

Iron to cyclopentadienyl ligand silyl group migration in (η^5-C_5H_5)$Fe(CO)_2SiR_3$ stereochemistry at silicon of (S.R. Berryhill, R.J.P. Corriu), (370) C1

Metal controlled enantioselectivity in catalytic asymmetric hydrosilylation (A. Kinting, H.-J. Kreuzfeld, H.-P. Abicht), (370) 343

Rhodium(I) complexes of β-diketonates and related ligands as hydrosilylation catalysts (W.R. Cullen, E.B. Wickenheiser), (370) 141

Sulphur

Chiral sulphonated phosphinerhodium complexes, influence of water on enantioselectivity in reduction of dehydro-aminoacids by (L. Lecomte, D. Sinou, J. Bakos, I. Tóth, B. Heil), (370) 277

1,3-Dithianes, asymmetric oxidation in the presence of chiral titanium complexes of (O. Samuel, B. Ronan, H.B. Kagan), (370) 43

Rhodium(I) complexes of β-diketonates and related ligands as hydrosilylation catalysts (W.R. Cullen, E.B. Wickenheiser), (370) 141

Transition metal catalysed asymmetric cross coupling reactions; crystal structures of $[Ph_2PCH_2CH\{(CH_2)_3SMe)NMe_2]\cdot PdCl_2$ and $[Ph_2PCH_2CH\{(CH_2)_2SMe\}NMe_2]\cdot PdCl_2$ (G. Cross, B.K. Vriesema, G. Boven, R.M. Kellogg, F. van Bolhuis), (370) 357

Tin

Pt-phosphine-$SnCl_2$ and Pt-bisphosphine-$CuCl_2$ (or CuCl) catalytic systems, asymmetric hydroformylation with (L. Kollár, J. Bakos, I. Tóth, B. Heil), (370) 257

Titanium

1,3-Dithianes, asymmetric oxidation in the presence of chiral titanium complexes of (O. Samuel, B. Ronan, H.B. Kagan), (370) 43

Tungsten

Organometallic cluster compounds, framework chirality and optical activity of (H. Vahrenkamp), (370) 65